

Figures

- FIGURE 2-4-1: Container Arrangement in Two Rows *page 2-4-9*
- FIGURE 2-4-2: Container Arrangement in Two Rows *page 2-4-9*
- FIGURE 2-4-3: Gas Lead Position (Side View) *page 2-4-12*
- FIGURE 2-4-4: Typical Stack Arrangement with Fans, Leads, Introduction Line, Padding, and Sand Snakes *page 2-4-14*
- FIGURE 2-10-1 Fan Placement *page 2-10-8*
- FIGURE 3-7-1: Position of Temperature Sensors in Containers *page 3-7-18*
- FIGURE 6-1-1: U Tube Manometer *page 6-2-6*
- FIGURE 6-1-2: Generalized Plan of Atmospheric Fumigation Chamber Showing Heat and Circulation Systems *page 6-2-7*
- FIGURE 6-1-3: Generalized Plan of an Atmospheric Fumigation Chamber *page 6-2-8*
- FIGURE 6-1-4: Forced-air Circulation Plan for Fumigation Chamber *page 6-2-9*
- FIGURE 7-1-1: Abbreviated Spill Plan, Personal Reference Card (Wallet-size) *page 7-3-2*
- FIGURE 7-1-2: Emergency Contacts for Pesticide Spills *page 7-3-3*
- FIGURE 7-1-3: Poison Control Center *page 7-3-4*
- FIGURE 7-1-4: Medical Emergency Facility *page 7-3-4*
- FIGURE 7-1-5: Federal Aviation Administration (FFA) Office *page 7-3-5*
- FIGURE 7-1-6: Community-Right-To-Know or Emergency Planning Coordinator (Fire Marshall) *page 7-3-6*
- FIGURE 7-1-7: Fish and Game Department *page 7-3-6*
- FIGURE 7-1-8: Regional Veterinary Services (VS) Office *page 7-3-6*
- FIGURE 7-1-9: Regional Safety and Health Coordinator *page 7-3-7*
- FIGURE 7-1-10: Local Police *page 7-3-7*
- FIGURE 7-1-11: Local Hazardous Waste Official *page 7-3-7*
- FIGURE 7-4-1: Appendix E—Guidelines for Employer Compliance *page 7-4-2*
- FIGURE 8-1-1: Fumiscopes reading of 20 ounces per 1,000ft³ *page 8-1-8*
- FIGURE 8-1-2: Halide Gas Leak Detector Using Disposable Propane Tank *page 8-1-11*
- FIGURE 8-1-3: Methyl Bromide Volatilizer Coil *page 8-1-25*
- FIGURE 8-1-4: Liquid Fumigant Vaporizer *page 8-1-26*
- FIGURE 8-1-5: Auxiliary Pump *page 8-1-28*
- FIGURE 8-1-6: Open-arm Manometer *page 8-1-30*
- FIGURE A-1-1: Example of APHIS Form 2061 (Residue Sample for Food or Feed Product) *page A-1-2*

- FIGURE A-1-2:** Example of PPQ Form 429 (Fumigation Record) (Front) *page A-1-11*
- FIGURE A-1-3:** Example of PPQ Form 429 (Fumigation Record) (Back) *page A-1-12*
- FIGURE A-1-4:** Example of PPQ Form 519 (Compliance Agreement) *page A-1-16*
- FIGURE A-1-5:** Example of PPQ Form 523 (Emergency Action Notification) *page A-1-19*
- FIGURE A-1-6:** PPQ Form 449-R (Temperature Recording Installation Report) *page A-1-24*
- FIGURE A-1-7:** PPQ Form 203 (Foreign Site Certificate of Inspection and/or Treatment) *page A-1-25*
- FIGURE A-1-8:** PPQ Form 556 (In Transit Cold Treatment Clearance Report) *page A-1-26*
- FIGURE A-1-9:** APHIS Form 205-R (Instructions and Worksheet for Calibrating Portable Temperature Sensors) *page A-1-27*
- FIGURE A-1-10:** APHIS Form 206-R (Test of the Accuracy of the Permanent RTD Sensors Installed in Hot Water Tanks) *page A-1-28*
- FIGURE A-1-11:** APHIS Form 207-R (Sensor Location Diagram Fruit Weights and Pulp Temperatures) *page A-1-29*
- FIGURE A-1-12:** Calibration of Temperature Probes (Cold Treatment) *page A-1-31*
- FIGURE A-1-13:** Certificate of Loading and Calibration for Cold Treatment in Self Refrigerated Containers (Cold Treatment) *page A-1-32*
- FIGURE A-1-14:** Location of Temperature Sensors in Containerized Cargo (Cold Treatment) *page A-1-33*
- FIGURE A-1-15:** Certificate of Loading and Calibration for Cold Treatment in Self Refrigerated Containers (Cold Treatment) *page A-1-34*
- FIGURE A-1-16:** Application for USDA-APHIS Approval of Self-Refrigerated Containers (for use in conducting quarantine in-transit cold treatment under USDA regulations) *page A-1-35*
- FIGURE A-1-17:** Application for USDA-APHIS Approval of Self-Refrigerated Containers (for use in conducting quarantine in-transit cold treatment under USDA regulations) *page A-1-36*
- FIGURE A-1-18:** General Requirements for Approval of Integral Containers Used for Cold Treatment. *page A-1-37*